

Certificate of Conformity

This is to Certify

Schindler Lifts NZ Ltd – Lift design, specification, manufacture and installation

Product Description

The certificate covers the Design (engineering design and specification of lift componentry) and Construction (manufacture and installation) of the following Schindler lift models; 2400, 2500, 2600, 3300, 3300, 5500. It is referred to as the Schindler methodology.

Complies with the Building Code of New Zealand:

When designed, specified, manufactured, installed & maintained in accordance with the conditions of this certificate, Schindler Lifts NZ Ltd will comply with the following provisions of the NZ Building Code B1.3.1, B1.3.2, B1.3.3 (a, b, d, f, l, m, p, r), B1.3.4 (a, b, c, d, e), B2.3.1 (b), B2.3.2 (b)

C5.6 (a)

D1.3.3 (a, b, c, k, n), D1.3.4 (a, b, c, d, e, f), D2.3.1 (a, b, c, d, e, f), D2.3.2 (a, b, c, d), D2.3.3 (a, b, c, d),

D2.3.4 (a, b, c, d), D2.3.5 (a, b, c, d)

F4.3.1, F4.3.4 (a, b, c, d, e), F8.3.1, F8.3.2

G8.3, G9.3.1 (a, b, c, d, e, f, g), G9.3.2 (a, b), G9.3.3

Subject to the following conditions and limitations:

1. Hydraulic lift installations fall outside the scope of this certificate.
2. This certificate may only be used as a means of compliance when accompanied by a Schindler declaration that the specification, design, manufacture is in accordance with the Schindler methodology that is specified in this certificate.
3. Prior to the Code Compliance Certificate being issued a Schindler declaration must be provided that installation is in accordance with the Schindler methodology that is specified in this certificate.
4. Any changes to a lift specification must be approved by Schindler Lifts NZ Ltd and will then fall outside the scope of this certificate.
5. Schindler Lifts NZ Ltd Maintenance Schedule is to be submitted with the building consent application and incorporated in the compliance schedule.
6. Compliance with D1.3.4 (b) only applies where the lift car has the following internal dimensions:
 - Not less than 1200 x 2100mm OR not less than 1400 x 1400mm.
7. Where the lift car width is less than 1400mm the lift controls are to be located on the adjacent wall.
8. Schindler Lifts NZ Ltd will notify AsureQuality Ltd in accordance with Regulation 15 of the Building (Product Certification) Regulations 2008



CODEMARK™

Product Use and Scope

Schindler Lifts NZ Ltd design, manufacture, supply and install mechanical lifts in buildings that comply with AS/NZS1170:2011 or where an engineer has established that the existing building has sufficient structural integrity to withstand the building work associated with the installation of the lift. This certificate may be relied upon as a means of compliance when considering a building consent application (Building Design, Building Materials) and also as evidence of compliance with the building consent (Method of Construction) provided that all conditions of this certificate are met.

Certificate Holder

Schindler Lifts NZ Ltd
25 Nugent St
Auckland 1023
Ph: (09) 353 7500
Fax: (09) 353 7501
Web: www.schindler.com



JAS-ANZ



www.jas-anz.org/register

CodeMark Certification Body

AsureQuality, 11 Hull Road, Mt Maunganui
New Zealand
Tel. 0508 00 11 22
www.asurequality.com

John McKay, Chief Executive Officer, AsureQuality Limited

Date of Issue

7th July 2015

Certificate Number

AQ-070715-CMNZ (Rev 3 – Jun 16)