

# Certificate of Conformity

## This is to Certify DriStud FRU 28

### Product Description

DriStud FRU 28 is a fire retardant, self-supporting synthetic roof underlay. It is a micro porous, water resistant film that is laminated to two layers of non-woven spun-bonded polyolefin. DriStud FRU 28 is designed to be used as underlay beneath roof claddings to assist with the weather tightness of buildings.

DriStud FRU 28 is 180 gsm.

### Complies with the Building Code of New Zealand:

B1 Structure - B1.3.1, B1.3.2, B1.3.3 (a), (h)

B2 Durability - B2.3.1 (b), B2.3.2

C3 Fire affecting areas beyond the fire source – C3.4 (c)

E2 External Moisture – E2.3.2, E2.3.7 (a), (b), (c) *Contributes to*

F2 Hazardous building materials – F2.3.1

### Subject to the following conditions and limitations:

1. DriStud FRU 28 must be installed in accordance with the DriStud FRU 28 Installation Guide.
2. DriStud FRU 28 may be installed over timber and steel roof framing.
3. DriStud FRU 28 can span up to 1200mm between adjacent supports. Where the span exceeds 1200mm a corrosion resistant mesh or alternative i.e. plastic strapping must be used.
4. DriStud FRU 28 must not be exposed to UV light for more than 7 days.



## CODEMARK™

### Product Use and Scope

DriStud FRU 28 is intended for use on new and existing buildings in Wind Zones up to and including 'Extra High', as defined in NZS 3604:2011.

It can be installed over both timber and steel roof framing to assist in the weather tightness of the roof cladding system. In new buildings the framing must comply with the NZ Building Code. For existing buildings, the designer and installer must assure themselves that the structure is adequate for the intended building work.

DriStud FRU 28 can be used under: Concrete, terracotta and metal tiles, profiled metal roof claddings.

### Certificate Holder

TCL Hunt Ltd  
7 Fisher Cres, Mt Wellington, Auckland, 1064  
PO Box 132-166, Sylvia Park, Auckland, 1644  
[www.dristud.co.nz](http://www.dristud.co.nz)  
Ph: +64 7 526 2700



### JAS-ANZ CodeMark Certification Body

AsureQuality, 11 Hull Road  
Mt Maunganui  
New Zealand  
Tel. 0508 00 11 22  
[www.asurequality.com](http://www.asurequality.com)

[www.jas-anz.org/register](http://www.jas-anz.org/register)

John McKay, Chief Executive Officer, AsureQuality Limited

**Date of Issue** 22<sup>nd</sup> December 2017

**Certificate Number** AQ-221217-CMNZ

The certificate holder will notify AsureQuality Ltd in accordance with Regulation 15 of the Building (Product Certification) Regulations 2008

"This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004.

The MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product.

The MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.

This certificate may only be reproduced in its entirety."